APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	OCT 26 2006	
Returned to applicant for correction	NOV 21 2006	
Corrected application filed		
Map filed	JAN 19 2007	

The applicant CITY OF FERNLEY hereby makes application for permission to change the Place of use Manner of use Of a portion of water heretofore appropriated under TRUCKEE RIVER DECREE CLAIM #3, UNITED STATES OF AMERICA VS. ORR WATER DITCH CO., ET.AL. IN EQUITY A-3, FEDERAL DISTRICT COURT OF NEVADA

- 1. The source of water is TRUCKEE RIVER
- 2. The amount of water to be changed 34.16 ac-ft
- 3. The water to be used for MUNICIPAL & DOMESTIC
- 4. The water heretofore permitted for AS DECREED
- 5. The water is to be diverted at the following point Derby Dam being located in N½ SW¼, Section 19, T.20N., R.23E., MDB&M
- 6. The existing permitted point of diversion is located within UNCHANGED
- 7. Proposed place of use SEE ATTACHMENT "A". FOR MAP OF PROPOSED POU USE MAP ON FILE UNDER 67449
- 8 . Existing place of use 6.59 acres in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, and 1.00 acres in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 13, T.20N., R.24E., M.D.B.&M., as defined by TCID SN#1025-5-B
- 9. Use will be from 1/1 to 12/31 of each year
- 10. Use was permitted from AS DECREED
- 11. Description of proposed works **DIVERSION DAM, TRUCKEE CANAL SURFACE WATER TREATMENT PLANT & DISTRIBUTION LINES**
- 12. Estimated cost of works \$5.5 MILLION
- 13. Estimated time required to construct works 5 YEARS
- 14. Estimated time required to complete the application of water to beneficial use 10 YEARS
- 15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.....The surface water will be diverted to a treatment facility meeting the requirements of the US EPA Surface Water Rule.

The finished water will be blended w/groundwater producing a product meeting the Safe Drinking Water Act. Alternately, the surface water may be diverted to a recharge basin for aquifer recharge, storage, and recovery

By Lowell Patton, Director, City of Fernley Public Works Department s/ Lowell Patton 595 Silver Lace Blvd Fernley, NV 89703

Compared sc/bk	 		
Protested	 ·	4	

City of Fernley
Water Right Change Application

ATTACHMENT A

PROPOSED PLACE OF USE:

T.19N, R.23E. M.D.B.&M.

Portion of sections 1, 12, 13, 14, and 23, sections 24 and 25; Portions of sections 26, 27, and 34, sections 35 and 36.

T.19N, R.24E. M.D.B.&M. Sections 1, 2, 3, 4, and 5. Portion of section 6, sections 7 through 36.

T.19N, R.25E. M.D.B.&M. All of sections 1 through 36.

T.20N, R.24E. M.D.B.&M.

Portion of sections 9 and 10, sections 11, 12, 13, 14, and 15; Portion of sections 16, 17, and 20, sections 21, 22, 23, 24, 25, 26, 27, and 28; Portion of sections 29, 30, and 31, sections 32, 33, 34, 35, and 36.

T.20N, R.25E. M.D.B.&M.
Sections 1, 2, and 3;
Portion of sections 4 and 5, sections 7 through 36.

T.20N, R.26E. M.D.B.&M.
Portion of section 5, sections 6 and 7;
Portion of sections 8 and 17, sections 18 and 19;
Portions of sections 20 and 29, sections 30 and 31;
Portion of section 32.

T.21N, R.25E. M.D.B.&M.
Portion of sections 13, 23, and 24, section 25;
Portion of sections 26, 27, 28, and 33, sections 34, 35, and 36.

T.21N, R.26E. M.D.B.&M.
Portion of sections 5, 7, and 8, section 17;
Portion of section 18, sections 19, 20, 29, 30, 31, and 32.

T.22N, R.26E. M.D.B.&M. Portion of sections 28, 32, and 33.